SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version	Revision Date:	SDS Number:	Date of last issue: 22.03.2023
1.2	10.04.2024	10000000109	Date of first issue: 16.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:EP20GU S DG MProduct code:0000000000012530
12530

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Powder coating stance/Mixture

1.3 Details of the supplier of the safety data sheet

Karl Bubenhofer AG Hirschenstrasse 26 CH-9201 Gossau SG Telefon: +41 (0)71/387 41 41, Telefax:+41 (0)71/387 41 51 Auskunftgebender Bereich (Bürozeiten): Verantwortliche Chemikalien-/Produktesicherheit, Dr. Christina Ott Telefon: +41 (0)71/387 41 35, Telefax: +41 (0)71/387 43 04 Email: regulatory@kabe-farben.ch Vertrieb Deutschland KABE Pulverlack Deutschland GmbH Sofienstrasse 36 D-76676 Graben-Neudorf Telefon: +49 (0)7255 99-161, Telefax: +49(0)7255 99-163 (Bürozeiten) • Vertrieb Österreich: KABE-Farben GmbH Langegasse 31 A-6850 Dornbirn Telefon (Bürozeiten): +43 (0)5572-21568, Telefax: +43 (0)5572-2094 • Vertrieb Polen: Farby KABE Polska Sp. z o.o. ul. Slaska 88, 40-742 Katowice tel. +48 32 204 64 60, fax +48 32 204 64 66, (Bürozeiten), proszkowe@farbykabe.pl

1.4 Emergency telephone number

Switzerland: Poisoning emergencies: Tox Info Suisse, telephone: +41 (0)44/251 66 66 or 145 (only within Switzerland) Germany: Poison Control Center Berlin: +49(0)30-19240 Austria: Poison Control Center AKA Vienna: +43(0)1/4064343 Poland: National Poison Information Center and Clinical Department of Toxicology: +48(42)6579900

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard, Cat- H412: Harmful to aquatic life with long lasting ef-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version 1.2	Revision Date: 10.04.2024	-	SDS Num 0000000		Date of last issue: 22.03.2023 Date of first issue: 16.01.2023
egory 3			fects.		
2.2 Label	elements				
Labelling (REGULATION (EC) 2019/720, and UK SI 2020/156				2/2008) as a	amended by GB-CLP Regulation, UK SI
Hazai	rd statements	:	H412	Harmful to	aquatic life with long lasting effects.
Preca	utionary statements	:	Prever P273 Dispos P501 disposi	Avoid rele sal:	ase to the environment. f contents/ container to an approved waste

Additional Labelling

EUH212

Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Paint

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
benzene-1,2,4,5-tetracarboxylic acid,	54553-91-2	Acute Tox. 4; H302	>= 2,5 - < 10
compound with 4,5-dihydro-2-phenyl-	259-226-5	Aquatic Chronic 2;	
1H-imidazole (1:2)		H411	
propylidynetrimethanol	77-99-6	Repr. 2; H361	>= 0,1 - < 1
	201-074-9		
Substances with a workplace exposure	e limit :		
barium sulfate	7727-43-7		>= 10 - < 20
	231-784-4		

For explanation of abbreviations see section 16.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version	Revision Date:	SDS Number:	Date of last issue: 22.03.2023
1.2	10.04.2024	10000000109	Date of first issue: 16.01.2023

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Show th	ut of dangerous area. is safety data sheet to the doctor in attendance. eave the victim unattended.
lf inhaled	advice.	scious, place in recovery position and seek medical oms persist, call a physician.
In case of eye contact	Remove Protect Keep ey	ves with water as a precaution. e contact lenses. unharmed eye. re wide open while rinsing. itation persists, consult a specialist.
If swallowed	Keep re Do not g Never g If sympt	vomiting immediately and call a physician. spiratory tract clear. give milk or alcoholic beverages. ive anything by mouth to an unconscious person. oms persist, call a physician. ctim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	Treat symptomatically.
-----------	---	------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. 5.2 Special hazards arising from the substance or mixture Specific hazards during fire- : Do not allow run-off from fire fighting to enter drains or water fighting courses. 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters Further information Collect contaminated fire extinguishing water separately. This : must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version	Revision Date:	SDS Number:	Date of last issue: 22.03.2023
1.2	10.04.2024	10000000109	Date of first issue: 16.01.2023

SECTION 6: Accidental release measures

: Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
-------------------------	---	---

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : areas and containers	Store between 5 and 25 °C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
--	---

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version	Revision Date: 10.04.2024	SDS Number:		Date of last issue: 22.03.2023
1.2		100000000109		Date of first issue: 16.01.2023
	er information on stor- tability	:	Keep in a dry pla No decompositio	ce. n if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
barium sulfate	7727-43-7	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment	
Eye/face protection :	Equipment should conform to EN 166 Eye wash bottle with pure water Tightly fitting safety goggles
Hand protection	
Material :	Chemical resistant gloves made of butyl rubber or nitrile rub- ber category III according to EN 374.
Remarks :	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechani- cal strain, duration of contact). Be aware that in daily use the durability of a chemical resistant protective glove can be no- tably shorter than the break through time measured accord- ing to EN 374, due to the numerous outside influences (e.g. temperature). Gloves should be discarded and replaced if there is any indication of degradation or chemical break- through. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Skin should be washed after contact. Use a high fat protective cream after cleaning skin.
Skin and body protection :	Workers should wear antistatic footwear. Dust impervious protective suit Choose body protection according to the amount and concen- tration of the dangerous substance at the work place.
Respiratory protection :	Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version 1.2	Revision Date: 10.04.2024	SDS Number: 100000000109	Date of last issue: 22.03.2023 Date of first issue: 16.01.2023
			ratory equipment: a particle filter P2 (EN 143)
Pro	tective measures		re informed of and trained on the nature of ex- sic actions to minimise exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	pigmented
Odour	:	very faint
рН	:	substance/mixture is non-soluble (in water)
Flash point	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Lower explosion limit 50.000 - 90.000 mg/m3
Density	:	1,6115 g/cm3 (20 °C) Method: Calculated value
Solubility(ies) Water solubility	:	insoluble

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed	١.
---------------------	--	----

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid	: No data available
---------------------	---------------------

10.5 Incompatible materials

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version 1.2	Revision Date: 10.04.2024	SDS Number: 100000000109	Date of last issue: 22.03.2023 Date of first issue: 16.01.2023
Materi	als to avoid	: Not applicab	le
10.6 Hazar	dous decompositio	n products	
SECTION	11: Toxicological	information	
11.1 Inform	nation on toxicologi	cal effects	
	toxicity assified based on ava	ailable information.	
Produ	<u>ct:</u>		
Acute	oral toxicity		estimate: > 2.000 mg/kg ulation method
<u>Comp</u>	onents:		
benze (1:2):	ne-1,2,4,5-tetracarb	oxylic acid, compo	und with 4,5-dihydro-2-phenyl-1H-imidazole
Acute	oral toxicity	: LD50 (Rat): 9	180 mg/kg
		Assessment: single ingesti	The component/mixture is moderately toxic after on.
Acute	dermal toxicity	: LD50 (Rat): >	• 2.000 mg/kg
propy	lidynetrimethanol:		
	oral toxicity	: LD50 (Rat): 1	4.700 mg/kg
Acute	inhalation toxicity		
Acute	dermal toxicity	: LD50 (Rabbit): > 10.000 mg/kg
bariun	n sulfate:		
Acute	oral toxicity	: LD50 (Rat): >	• 15.000 mg/kg
Skin c	orrosion/irritation		
Not cla	assified based on ava	ailable information.	
	is eye damage/eye assified based on ava		
Respi	ratory or skin sensi	tisation	
Skin s	ensitisation		

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

rsion	Revision Date: 10.04.2024	SDS Number: 100000000109	Date of last issue: 22.03.2023 Date of first issue: 16.01.2023
-	iratory sensitisatior		
Not c	lassified based on av	ailable information.	
	n cell mutagenicity		
Not c	lassified based on av	ailable information.	
	inogenicity		
Not c	lassified based on av	ailable information.	
Repr	oductive toxicity		
Not c	lassified based on av	ailable information.	
<u>Com</u>	ponents:		
	ylidynetrimethanol: oductive toxicity - As- nent	: Suspected hum	an reproductive toxicant
STO	Γ - single exposure		
	F - single exposure lassified based on av	ailable information.	
Not c	• •		
Not c STO	lassified based on av	e	
Not c STO Not c	lassified based on av	e	
Not c STO Not c Aspin	lassified based on av repeated exposu lassified based on av	e ailable information.	
Not c STO Not c Aspin Not c	lassified based on av repeated exposu lassified based on av ration toxicity	e ailable information.	
Not c STO Not c Aspin Not c	lassified based on av T - repeated exposur lassified based on av ration toxicity lassified based on av her information	e ailable information.	

12.1 Toxicity

Components:

benzene-1,2,4,5-tetracarboxylicacid, compound with 4,5-dihydro-2-phenyl-1H-imidazole
(1:2):
Toxicity to fishToxicity to fish:LC50 (Fish): > 100 mg/l
Exposure time: 96 hToxicity to daphnia and other
aquatic invertebrates:EC50 (Daphnia (water flea)): 37 mg/l
Exposure time: 48 hToxicity to algae/aquatic
plants:EC50 (algae): 7,4 mg/l
Exposure time: 72 h

Ecotoxicology Assessment

Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
--------------------------	---	--

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version 1.2	Revision Date: 10.04.2024		DS Number: 00000000109	Date of last issue: 22.03.2023 Date of first issue: 16.01.2023	
propy	lidynetrimethanol:				
Toxici	Toxicity to fish		LC50 (Fish): 14.400 mg/l Exposure time: 96 h		
	Toxicity to daphnia and other aquatic invertebrates		EC50 (Daphnia (water flea)): 13.000 mg/l Exposure time: 48 h		
	Toxicity to algae/aquatic plants		EC50 (algae): > 1.000 mg/l Exposure time: 72 h		
12.2 Persi	stence and degradabil	lity			
<u>Comp</u>	oonents:				
benze (1:2):	ene-1,2,4,5-tetracarbox	cylic	c acid, compound	l with 4,5-dihydro-2-phenyl-1H-imidazole	
Biode	gradability	:			
			Result: Not read	ily biodegradable.	
	propylidynetrimethanol: Biodegradability				
			Result: Not read	ily biodegradable.	
bariu	m sulfate:				
Biode	gradability	:			
			Result: Not biodegradable		
2.3 Bioad	cumulative potential				
<u>Comp</u>	oonents:				
benze (1:2):	ene-1,2,4,5-tetracarbox	cylic	c acid, compound	l with 4,5-dihydro-2-phenyl-1H-imidazole	
	on coefficient: n- ol/water	:	: log Pow: 6,450		
propy	lidynetrimethanol:				
Bioac	cumulation	:	Bioconcentratior	n factor (BCF): < 17,00	
	on coefficient: n- ol/water	:	log Pow: -0,47 (2	26 °C)	
12.4 Mobil	l ity in soil ta available				

No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version	Revision Date:	SDS Number:	Date of last issue: 22.03.2023
1.2	10.04.2024	10000000109	Date of first issue: 16.01.2023

12.5 Results of PBT and vPvB assessment

Ρ	rodu	ict:
_		

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:		
Endocrine disrupting poten- tial	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 Do not dispose of with domestic refuse. Dispose of in accordance with local regulations. Refer to manufacturer/ supplier/ for information on disposal/ recovery/ recycling. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product.

SECTION 14: Transport information

14.1 UN number	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version 1.2	Revision Date: 10.04.2024	-	DS Number: 00000000109	Date of last issue: 22.03.2023 Date of first issue: 16.01.2023	
	roper shipping name	:	Not regulated as	a dangerous good	
•	Toper snipping name				
ADR		:	-	a dangerous good	
RID		:	Not regulated as	a dangerous good	
IMDG		:	Not regulated as	a dangerous good	
ΙΑΤΑ		:	Not regulated as	a dangerous good	
14.3 Trans	sport hazard class(es))			
ADR		:	Not regulated as	a dangerous good	
RID		:	Not regulated as	a dangerous good	
IMDG		:	Not regulated as	a dangerous good	
ΙΑΤΑ		:	Not regulated as	a dangerous good	
14.4 Pack	ing group				
ADR		:	Not regulated as	a dangerous good	
RID		:	Not regulated as	a dangerous good	
IMDG		:	Not regulated as	a dangerous good	
ΙΑΤΑ	(Cargo)	:	Not regulated as	a dangerous good	
ΙΑΤΑ	(Passenger)	:	Not regulated as	a dangerous good	
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special precautions for user					
Rema	ırks	:	Not classified as lations.	dangerous in the meaning of transport regu-	

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Versio 1.2		evision Date:).04.2024	-	S Number: 0000000109		-	last issue: 22.03.2023 first issue: 16.01.2023
	Regulation (EC) No 1005/2009 on substances that de- : Not applicable plete the ozone layer						
	UK REACH List of substances subject to authorisation : Not applicable (Annex XIV)						Not applicable
Informed Consent (PIC) Regulation acid, compou						benzene-1,2,4,5-tetracarboxylic acid, compound with 4,5-dihydro-2- phenyl-1H-imidazole (1:2)	
				E2			
Т	he comp	oonents of this pro	duc	t are reported in t	he fo	llov	wing inventories:
T	CSI		:	Not in compliance	with	the	inventory
T	SCA		:	Product contains s	subst	anc	e(s) not listed on TSCA inventory.
А	lic		:	Not in compliance	with	the	inventory
D	SL		:	This product conta on the Canadian I			ollowing components that are not NDSL.
				13463-67-7			
				14808-60-7			
E	INCS		:	Not in compliance	with	the	inventory
IS	SHL		:	Not in compliance	with	the	inventory
К	ECI		:	Not in compliance	with	the	inventory
Р	PICCS		:	Not in compliance	with	the	inventory
IE	ECSC		:	Not in compliance	with	the	inventory
N	IZIoC		:	Not in compliance	with	the	inventory
Т	ECI		:	Not in compliance	with	the	inventory

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H302 :	Harmful if swallowed.
H361 :	Suspected of damaging fertility or the unborn child.
H411 :	Toxic to aquatic life with long lasting effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version	Revision Date:	SDS Number:	Date of last issue: 22.03.2023
1.2	10.04.2024	10000000109	Date of first issue: 16.01.2023

Full text of other abbreviations

Acute Tox. Aquatic Chronic		Acute toxicity Long-term (chronic) aquatic hazard
Repr.	:	Reproductive toxicity
GB EH40 GB EH40 / TWA		UK. EH40 WEL - Workplace Exposure Limits Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrving Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information Classification of the mixture:

Classification procedure:

Aquatic Chronic 3

H412

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EP20GU S DG M

Version	Revision Date:	SDS Number:	Date of last issue: 22.03.2023
1.2	10.04.2024	10000000109	Date of first issue: 16.01.2023

GB / 6N