Material Safety Data Sheet

H2134

Diotrol Naturöl Lasur Wettergrau

Sales Switzerland: Karl Bubenhofer AG Hirschenstrasse 26 Postfach 158 CH-9201 Gossau +41 71 387 41 41



KARL BUBENHOFER AG, Hirschenstrasse 26, CH-9201 Gossau SG Tel. +41 (0)848 87 41 42, Fax +41 (0)848 87 41 52, www.kabe-farben.ch Construction Paints - Plastering - Façade isolation - Industrial Varnishes - Powder Paint

according to Regulation (EC) No 1907/2006

Diotrol Naturöl-Lasur (eingefärbt)

Print date: 09.11.2015

Product code: 75000T

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Diotrol Naturöl-Lasur (eingefärbt)

Further trade names

Diotrol glacis aux huiles naturelles (tinté) Diotrol natural oils (tinted)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Holzbeschichtung, Peinture pour bois, Wood painting

Uses advised against

1.3. Details of the supplier of the safety data sheet

| Company name: | Maurolin AG / Diotrol AG | | |
|-------------------------|-----------------------------------------------------------|-----------------------------|--|
| Street: | Bodenackerstrasse 64 | | |
| Place: | CH- CH-4657 Dulliken | | |
| Telephone: | +41 62 285 30 70 | Telefax:+41 62 285 30 80 | |
| e-mail: | info@maurolin.ch | | |
| Contact person: | Helmut Holzapfel | Telephone: +41 79 423 01 58 | |
| e-mail: | helmut.holzapfel@bluewin.ch | | |
| Internet: | www.diotrol.ch | | |
| Responsible Department: | Produktverwaltung Diotrol, Pascal Holzer, +41 62 285 3300 | | |
| | pascal.holzer@maurolin.ch | | |
| 4. Emergency telephone | CH EU Toxzentrum Zürich, telefon +41 44 | 251 51 51 | |

1.4. Emergency telephone

number:

Further Information

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

Diotrol Naturöl-Lasur (eingefärbt)

Print date: 09.11.2015

Product code: 75000T

Page 2 of 6

Hazardous components

| CAS No | Chemical name | | Quantity | |
|-----------|-------------------------------------------------------------------------------------|-----------------------------|----------|--|
| | EC No | Index No | REACH No | |
| | Classification according to Regulati | on (EC) No. 1272/2008 [CLP] | • | |
| 1338-02-9 | Naphtensäuren, Kupfersalz | | < 1 % | |
| | 215-657-0 | | | |
| | Flam. Liq. 3, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H226 H302 H400 H410 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. alcohol resistant foam. Carbon dioxide (CO2). Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated:

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the

according to Regulation (EC) No 1907/2006

Diotrol Naturöl-Lasur (eingefärbt)

Print date: 09.11.2015

Product code: 75000T

Page 3 of 6

recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

Further information on storage conditions

Vapours may form explosive mixtures with air.

7.3. Specific end use(s)

Holzbeschichtung, Peinture pour bois, wood coating

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | liquid |
|-----------------|--------|
| Colour: | tinted |

according to Regulation (EC) No 1907/2006

| | Diotrol Naturöl-Lasur (eingefärbt) | |
|------------------------------------------------|------------------------------------|-------------|
| Print date: 09.11.2015 | Product code: 75000T | Page 4 of 6 |
| Odour: | typical | |
| | | Test method |
| pH-Value: | not determined | |
| Changes in the physical state | | |
| Melting point: | not determined | |
| Initial boiling point and boiling range: | > 150 °C | |
| Flash point: | ~ 63 °C | |
| Flammability | | |
| Solid: | not applicable | |
| Gas: | not applicable | |
| Lower explosion limits: | ~ 0,6 vol. % | |
| Upper explosion limits: | ~ 5,7 vol. % | |
| Auto-ignition temperature Solid: | not applicable | |
| Gas: | not applicable | |
| Decomposition temperature: | not determined | |
| Oxidizing properties Not oxidizing. | | |
| Vapour pressure: | < 1100 hPa | I |
| Density: | ~ 0,86 g/cm³ | |
| Water solubility: | insoluble | |
| Solubility in other solvents not determined | | |
| Partition coefficient: | not determined | |
| Flow time: | ~ 17 | 4 DIN 53211 |
| Vapour density: | not determined | |
| Evaporation rate: | not determined | |
| Solvent separation test: | < 3% nach RID/ADR | |
| Solvent content: | ~ 67% | |
| 9.2. Other information | | |
| Solid content: | not determined | |
| | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

according to Regulation (EC) No 1907/2006

Diotrol Naturöl-Lasur (eingefärbt)

Print date: 09.11.2015

Product code: 75000T

Page 5 of 6

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

| CAS No | Chemical name | | | | |
|-----------|---------------------------|--------|-----------|---------|--------|
| | Exposure routes | Method | Dose | Species | Source |
| 1338-02-9 | Naphtensäuren, Kupfersalz | | | | |
| | oral | ATE | 500 mg/kg | | |

Additional information on tests

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

080111 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish containing organic solvents or other hazardous substances Classified as hazardous waste.

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the

according to Regulation (EC) No 1907/2006

| Diotrol Naturöl-Las | sur (eingefärbt) |
|----------------------------|------------------|
| Biotion Hataron Eas | |

Print date: 09.11.2015

Product code: 75000T

Page 6 of 6

substance itself.

SECTION 14: Transport information

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| EU regulatory information | |
|---------------------------|---------------------|
| 2010/75/EU (VOC): | 0,135 % (1,164 g/l) |
| 2004/42/EC (VOC): | 0,135 % (1,164 g/l) |

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Water contaminating class (D):

2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

| H226 | Flammable liquid and vapour. |
|------|-------------------------------------------------------|
| H302 | Harmful if swallowed. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)